



(A) CORRIGENDUM- Tender No- 310/2020/1446

Modification in Tender Documents already hosted by SIDBI in respect of Tender No- 310/2020/1446 seeking invitation of offers for acquiring office premises on Leave and License basis at Haridwar, Uttarakhand

The following clauses are modified / inserted in the original tender notice hosted on SIDBI portal/E-Procurement Portal.

MODIFICATION NO-1

Page No. 2: The content of the paragraph is modified and may be read as under:-

Paragrph-1

Sr No	As per tender Document hosted	Revised
1	<p>सिडबी, हरिद्वार में लगभग 111-140 वर्गमीटर (लगभग 1200-1500 वर्गफीट) कारपेट क्षेत्र का कार्यालय परिसर लीव और लाइसेंस/ लीज आधार पर लेने के लिए प्रस्ताव आमंत्रित करता है। उक्त आमंत्रण ऐसे एक परिसर के लिए है, जो हरिद्वार नगर में शिवालिक नगर मुख्य मार्ग, ज्वालापुर, रानीपुर मोड़, आर्यनगर चौक व देवीपुरा में स्थित वाणिज्यिक भवनों में भूतल पर एक ही मंजिल पर स्थित हो। कार्यालय परिसर कब्जा लेने के लिए तैयार होना चाहिए और सुसज्जित और वातानुकूलित होना चाहिए या परिसर मालिक द्वारा इसे बैंक की अपेक्षानुसार/ दिए गए विनिर्देश के अनुसार अपने व्यय पर सुसज्जित और वातानुकूलित किया जाना चाहिए।</p> <p>SIDBI invites offers for one office premises admeasuring between 111-140 sq mt. (approx. 1200-1500 sq.ft.) carpet area in Haridwar on leave and licence / lease basis in single floor on Ground Floor in commercial buildings located in Shivalik Nagar Main Road, Jwalapur, Ranipur More, Aryanagar Chowk and Devpura. The</p>	<p>सिडबी, हरिद्वार में लगभग 111-140 वर्गमीटर (लगभग 1200-1500 वर्गफीट) कारपेट क्षेत्र का कार्यालय परिसर लीव और लाइसेंस/ लीज आधार पर लेने के लिए प्रस्ताव आमंत्रित करता है। उक्त आमंत्रण ऐसे एक परिसर के लिए है, जो हरिद्वार नगर में शिवालिक नगर मुख्य मार्ग, ज्वालापुर, रानीपुर मोड़, आर्यनगर चौक व देवीपुरा में स्थित वाणिज्यिक भवनों में भूतल पर एक ही मंजिल पर स्थित हो। कार्यालय परिसर कब्जा में लेने के लिए तैयार होना चाहिए और सुसज्जित और वातानुकूलित-होना चाहिए या परिसर मालिक द्वारा इसे बैंक की अपेक्षानुसार / दिए गए विनिर्देश के अनुसार अपने व्यय पर सुसज्जित और वातानुकूलित किया जाना चाहिए। फर्निशिंग में बैंकों की आवश्यकता के अनुसार आंतरिक संरचित लैन केबलिंग शामिल है। इसके अलावा, मालिक (मालिकों) को वायरलेस (रेडियो फ्रीक्वेंसी) एंटीना की स्थापना के लिए छत के ऊपर जगह और यूपीएस के लिए समर्पित अर्थिंग भी प्रदान करनी होगी।</p> <p>SIDBI invites offers for one office premises admeasuring between 111-140 sq mt. (approx. 1200-1500 sq.ft.) carpet area in Haridwar on</p>

THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER DOCUMENT NO. 310/2020/1446 HOSTED ON SIDBI PORTAL DATED 09/04/2019.

**CORRIGENDUM / ADDENDUM TO TENDER DOCUMENT– OFFICE PREMISES HARIDWAR DATED
09/04/2019**

	<p>premises should be readily available and preferably furnished & airconditioned or it shall be furnished / refurbished by the owner(s) at their own cost as per the Bank's requirement / specifications.</p>	<p>leave and licence / lease basis in single floor on Ground Floor in commercial buildings located in Shivalik Nagar Main Road, Jwalapur, Ranipur More, Aryanagar Chowk and Devpura. The premises should be readily available and preferably furnished & airconditioned or it shall be furnished / refurbished by the owner(s) at their own cost as per the Bank's requirement / specifications. <i>Furnishing includes internal structured LAN cabling as per the banks requirement. Further, the owner should also provide space on the roof top for installation of Wireless (Radio Frequency) Antenna and dedicated earthing for UPS.</i></p>
--	--	--

MODIFICATION NO-2

Page No. 4:

a). Clause No 8 related to availability space is modified as under:

Sr No	As per tender Document hosted	Revised
8	<p>उपलब्ध पार्किंग स्थान / Parking Space available – सिडबी के लिए विशेष रूप से न्यूनतम 4 कार पार्किंग स्लॉट और साथ ही 2 दो पहिया वाहनों के लिए पार्किंग स्लॉट उपलब्ध होना चाहिए। A Minimum of 4 car parking slots as also parking slots for 2 two wheelers should be available exclusively for SIDBI.</p>	<p><i>परिसर के स्वामी द्वारा न्यूनतम 1 कार पार्किंग की व्यवस्था की जायगी जोकि ऑफिस परिसर में हो या ऑफिस परिसर से अधिकतम 50 से 100 मीटर की दूरी पर स्थित हो। पार्किंग स्थल की सुरक्षा और खर्च की ज़िम्मेदारी परिसर मालिक की होगी।</i> <i>A minimum of 1 car parking slot to be arranged by the owner preferably at the proposed premises/at a distance of 50-100 meters from the proposed premises at owners cost and security.</i></p>

MODIFICATION NO-3

Page No. 13: Interior Furnishing, Point No. (ii) is modified and may be read as under:-

Sr No	As per tender Document hosted	Revised
(ii).	<p>(ii).आंतरिक सुसज्जा के लिए मैंने / हमने यह मानते हुए दरें भेजी हैं कि आंतरिक सज्जा के लिए मूल्य कंसल्टेंसी प्रभारों सहित कारपेट क्षेत्र के आधार पर लगभग ` - प्रति</p>	<p>आंतरिक सुसज्जा के लिए मैंने / हमने यह मानते हुए दरें भेजी हैं कि आंतरिक सज्जा के लिए मूल्य</p>

THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER DOCUMENT NO. 310/2020/1446 HOSTED ON SIDBI PORTAL DATED 09/04/2019.

**CORRIGENDUM / ADDENDUM TO TENDER DOCUMENT – OFFICE PREMISES HARIDWAR DATED
09/04/2019**

<p>वर्गफीट होगा। आंतरिक सुसज्जा के लिए मासिक किराए में कमी या वृद्धि होने पर इसे समानुपातिक आधार पर कम/ अधिक किया जाएगा। आवश्यकता पड़ने पर, मैं/ हम यह जानते हैं कि परिसर की फ्लोरिंग की दर, रँगाई (प्लास्टिक इमलशन) की दर, किसी अन्य सिविल कार्य की दर आंतरिक सुसज्जा का भाग नहीं होगी और इसका वहन मेरे / हमारे द्वारा किया जाएगा।</p> <p>I / we have quoted the rent for interiors assuming that the estimated cost of interiors would be approximately Rs. - per sqft on carpet area including consultancy charges. . In case of decrease / increase in cost the monthly rent for interiors will be proportionately decreased / increased. Necessary proof of actual expenditure shall be shown to the bank, if required. I/we are aware that the cost of flooring, painting (plastic emulsion) and any other civil work will not be part of the interiors to be provided in the premises will be borne by me/us.</p>	<p>कारपेट क्षेत्र के आधार पर लगभग Rs.1500/-प्रति वर्गफीट होगा।(कार्यालय परिसर की आंतरिक सुसज्जा संबंधी व्यापक विनिर्देशन परिशिष्ट में दिया गया है। आंतरिक सुसज्जा के लिए मासिक किराए में कमी या वृद्धि होने पर इसे समानुपातिक आधार पर कम/ अधिक किया जाएगा। आवश्यकता पड़ने पर, वास्तविक व्यय के आवश्यक प्रमाण बैंक को देने होंगे।</p> <p>I / we have quoted the rent for interiors assuming that the estimated cost of interiors would be approximately Rs.1500/- per sq ft on carpet area including consultancy charges. In case of decrease / increase in cost the monthly rent for interiors will be proportionately decreased / increased. Necessary proof of actual expenditure shall be shown to the bank, if required. I/we are aware that the cost of flooring, painting (plastic emulsion) and any other civil work will not be part of the interiors to be provided in the premises will be borne by me/us</p>
--	---

MODIFICATION NO-4

Page No. 16-17: शर्तें (हस्ताक्षर कर लिफाफा सं. 1 में भेजा जाने वाला) / TERMS & CONDITIONS (to be signed and submitted in Cover 1)

Point No. (K) is modified and may be read as under:-

Sr No	As per tender Document hosted	Revised
(k)	<p>परिसर का बीमा / Insurance of the Premises- मैं/ हम दिए गए परिसर और इसके साथ की सभी मर्दों का लीज अवधि के लिए बीमा करवाएंगे और इसके लिए बैंक द्वारा किसी भी अतिरिक्त राशि का भुगतान नहीं किया जाएगा। पर्याप्त आरक्षित पार्किंग स्थान (न्यूनतम 04 कारपार्किंग और 02 दोपहिया वाहन पार्किंग) मुझे / हमारे द्वारा विशेष रूप से सिडबी के लिए आरक्षित किया जाएगा। Premises and its contents provided by me/us shall be adequately insured by me/us during the lease period. No extra amount shall be payable for the same by the Bank. Adequate</p>	<p>(k) परिसर का बीमा / Insurance of the Premises:- मैं/ हम दिए गए परिसर और इसके साथ की सभी मर्दों का लीज अवधि के लिए बीमा करवाएंगे और इसके लिए बैंक द्वारा किसी भी अतिरिक्त राशि का भुगतान नहीं किया जाएगा। Premises and its contents provided by me/us shall be adequately insured by me/us during the lease period. No extra amount shall be payable for the same by the Bank.</p>

THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER DOCUMENT NO. 310/2020/1446 HOSTED ON SIDBI PORTAL DATED 09/04/2019.

**CORRIGENDUM / ADDENDUM TO TENDER DOCUMENT– OFFICE PREMISES HARIDWAR DATED
09/04/2019**

	<p>reserved parking space (minimum 04 nos. carparking and 02 nos. two-wheeler parking shall be provided by me/us exclusively reserved for SIDBI.</p>	<p>(I) पार्किंग स्थान / Parking Space</p> <p>परिसर के स्वामी द्वारा न्यूनतम 1 कार पार्किंग की व्यवस्था की जायगी जोकि ऑफिस परिसर में हो या ऑफिस परिसर से अधिकतम 50 से 100 मीटर की दूरी पर स्थित हो। पार्किंग स्थल की सुरक्षा और खर्च की ज़िम्मेदारी परिसर मालिक की होगी।</p> <p><i>A minimum of 1 car parking slot to be arranged by the owner preferably at the proposed premises/at a distance of 50-100 meters from the proposed premises at owners cost and security.</i></p>
--	--	---

MODIFICATION NO-5

The conditions No. 23 at Page No. 25 to the format of Technical Bid (TB) is modified and may be read as under :-

Sr No	As per tender Document hosted	Revised
23	<p>छत पर अधिकतम 9 मीटर ऊँचे और 250 किलोभार के बिना तार वाला ऐनटीना संस्थापित करने के लिए जगह की उपलब्धता</p> <p>Availability of space on roof top for installation of wireless antenna of maximum height of 9 meters and weight around 250 kg</p>	<p>छत पर अधिकतम एक मीटर ऊँचे और 250 किलोभार के बिना तार वाला (Radio Frequency) ऐनटीना संस्थापित करने के लिए जगह की उपलब्धता ।</p> <p>नोट: एंटीना के संस्थापित करने के लिए फर्श को ½ या 1 इंच तक काट कर छत के ऊपर सिविल कार्य किया जाएगा। एंटीना एक तिपाई संरचना होगी जिसके लिए लगभग 9 X 9 M के स्थान की आवश्यकता रहेगी।</p> <p>Availability of space on roof top for installation of wireless (Radio Frequency) antenna of maximum height of 9 meters and weight around 250 kg.</p> <p><i>Note: civil work will be carried out on the roof top by chipping the floor by ½ or 1 inch for erection of antenna. The antenna would be a tripod structure with space requirement of approximately 9 X 9 M.</i></p>

THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER DOCUMENT NO. 310/2020/1446 HOSTED ON SIDBI PORTAL DATED 09/04/2019.

**CORRIGENDUM / ADDENDUM TO TENDER DOCUMENT– OFFICE PREMISES HARIDWAR DATED
09/04/2019**

MODIFICATION NO-6

The following conditions are modified (Page No. 27 to 29) to the format of Financial Bid (FB) and may be read as under:-

- **As per Original Tender Documents**

क्रम सं. Sl. No.	विवरण /Particulars	प्रस्तावकर्ता द्वारा भरे जाने वाले विवरण Details to be filled in by the offerer
1	<p>प्रति कारपेट वर्ग फीट. क्षेत्र का मासिक किराया (कारपेट क्षेत्र का अर्थ है ढका हुआ फर्श क्षेत्र, जिसमें दीवारों, आधार दीवारों की परीधि की मोटाई, खुला बरामदा / बालकनी /खिड़की की सिलों के नीचे भंडारण के लिए स्थान, खुले गलियारे/ आने जाने का रास्ता, लॉबियाँ, सीढ़ियाँ, मम्टीयाँ, लिफ्टों के लिए कक्ष और नीचे जाने का रास्ता, सामान्य शौचालय और सामान्य क्षेत्र आदि शामिल नहीं है) कमरा/ हाल के अंदर की दीवारों को फर्शक्षेत्र माना जाएगा। परिसर के लिए अलग से बनवाए गए शौचालयों को भी फर्श क्षेत्र में शामिल किया जाएगा)</p> <p>Monthly rent per sq.ft. of carpet area. (Carpet area means covered floor space excluding pillars / columns walls thickness along the periphery, open verandah/ balcony, niches for storage below window cills, open corridors/ passages, lobbies, staircase, mummies, shaft and rooms for lifts, common toilets and common areas etc.). Columns area inside the rooms / hall are not deductible. Area of Toilets exclusively constructed for the premises will be included.</p> <p>a). परिसर का किराया Rent for the premises –</p> <p>b). उपलब्ध मौजूदा सुविधाओं का किराया(वातानुकूलन, आंतरिक सुसज्जा आदि) Rent for the existing facilities available (Air conditioning ,interiors etc.)</p>	<p>.....प्रति वर्ग फीट Rs. per sq. ft.</p> <p>.....प्रति वर्ग फीट Rs. per sq. ft.</p> <p>.....प्रति वर्ग फीट Rs. per sq. ft.</p>

THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER DOCUMENT NO. 310/2020/1446 HOSTED ON SIDBI PORTAL DATED 09/04/2019.

**CORRIGENDUM / ADDENDUM TO TENDER DOCUMENT– OFFICE PREMISES HARIDWAR DATED
09/04/2019**

<p>c).वास्तुकार आदि नियुक्त कर के बैंक के डिजाइन और विनिर्देश के अनुसार आंतरिक सुसज्जा के लिए किराया Rent for interior furnishing as per the design and specifications of the bank by appointing an architect, etc.</p> <p>d). नई सुसज्जा का मूल्य लगभग रु. _____ प्रति वर्गफीट पर स्वीकार किया गया था। कार्यालय –परिसर के आंतरिक कार्य का व्यापक विनिर्देशन संलग्नक 1 में दिया गया है। (_____ प्रति वर्ग फीट पर विचार किया गया है।</p> <p>cost of new interiors considered at Rs. ----- -- per sq.ft. approx). Broad specifications of interior works -Office premises given in Annexure-1.</p> <p>फ्लोरिंग, पेंटिंग (प्लास्टिक इमल्शन) और कोई भी अन्य सिविल कार्य की लागत परिसर में प्रदान किए जाने वाले अंदरूनी हिस्सों का हिस्सा नहीं होगा और प्रस्तावक द्वारा वहन किया जाएगा।</p> <p>Cost of flooring, painting (plastic emulsion) and any other civil work will not be part of the interiors to be provided in the premises and will be borne by the offerer.</p> <p>टिप्पणी: सफल बोलीकर्ता को हमारे मौजूदा कार्यालय के फर्नीचर मदों को नए परिसर में पुनः प्रयोग करना होगा अतः तदनुसार दरें दी जाएँ।</p> <p>Note: The successful bidder has to re-use the furniture items of our existing office in the new premises and accordingly the rates may be quoted.</p>	<p>(कृपया शब्दों में भी लिखे) Pl write in words also)</p> <p>कुल /Total (कृपया शब्दों में भी लिखे Pl write in words also)</p>
--	---

▪ **As per Revised**

क्रम सं. / No.	विवरण /Particulars	प्रस्तावकर्ता द्वारा भरे जाने वाले विवरण Details to be filled in by the offerer
-------------------	--------------------	--

THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER DOCUMENT NO. 310/2020/1446 HOSTED ON SIDBI PORTAL DATED 09/04/2019.

**CORRIGENDUM / ADDENDUM TO TENDER DOCUMENT – OFFICE PREMISES HARIDWAR DATED
09/04/2019**

1	<p>प्रति कारपेट वर्ग वर्गफीट क्षेत्र का मासिक किराया (कारपेट क्षेत्र का अर्थ है ढका हुआ फर्श क्षेत्र, जिसमें दीवारों, आधार दीवारों की परीधि की मोटाई, खुला बरामदा / बालकनी /खिड़की की सिलों के नीचे भंडारण के लिए स्थान, खुले गलियारे/ आने जाने का रास्ता, लॉबियाँ, सीढ़ियाँ, मम्टीयाँ, लिफ्टों के लिए कक्ष और नीचे जाने का रास्ता, सामान्य शौचालय और सामान्य क्षेत्र आदि शामिल नहीं है) कमरा/ हाल के अंदर की दीवारों को फर्शक्षेत्र माना जाएगा। परिसर के लिए अलग से बनवाए गए शौचालयों को भी फर्श क्षेत्र में शामिल किया जाएगा)</p> <p>Monthly rent per sq.ft. of carpet area. (Carpet area means covered floor space excluding pillars / columns walls thickness along the periphery, open verandah/ balcony, niches for storage below window cills, open corridors/ passages, lobbies, staircase, munties, shaft and rooms for lifts, common toilets and common areas etc.). Columns area inside the rooms / hall are not deductible. Area of Toilets exclusively constructed for the premises will be included.</p> <p>a). परिसर का किराया Rent for the premises</p> <p>b). उपलब्ध मौजूदा सुविधाओं का किराया(वातानुकूलन, आंतरिक सुसज्जा आदि) Rent for the existing facilities available (Air conditioning ,interiors etc.)</p> <p>c). वास्तुकार आदि नियुक्त कर के बैंक के डिजाइन और विनिर्देश के अनुसार आंतरिक सुसज्जा के लिए किराया Rent for interior furnishing as per the design and specifications of the bank by appointing an architect, etc.</p> <p>d). नई सुसज्जा का मूल्य लगभग 1500/- प्रति वर्गफीट पर स्वीकार किया गया था। कार्यालय –परिसर के आंतरिक कार्य का व्यापक विनिर्देशन परिशिष्ट में</p>	<p>Rs.प्रति वर्ग फीट Rs. per sq. ft.</p> <p>Rs.प्रति वर्ग फीट Rs. per sq. ft.</p> <p>Rs.....प्रति वर्ग फीट Rs. per sq. ft.</p> <p>(कृपया शब्दों में भी लिखें) Pl write in words also)</p>
---	---	--

THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER DOCUMENT NO. 310/2020/1446 HOSTED ON SIDBI PORTAL DATED 09/04/2019.

**CORRIGENDUM / ADDENDUM TO TENDER DOCUMENT– OFFICE PREMISES HARIDWAR DATED
09/04/2019**

<p>दिया गया है। (Rs.1500/- प्रति वर्ग फीट पर विचार किया गया है।</p> <p>Cost of new interiors considered at Rs.1500/-per sq.ft. approx). Broad specifications of interior works - Office premises given in Annexure-1.</p> <p>Cost of flooring, painting (plastic emulsion) and any other civil work will not be part of the interiors to be provided in the premises and will be borne by the offerer.</p> <p>Note: टिप्पणी: सफल बोलीकर्ता को हमारे मौजूदा कार्यालय के फर्नीचर मदों को नए परिसर में पुनः प्रयोग करना होगा अतः तदनुसार दरें दी जाएँ।</p> <p>The successful bidder has to re-use the furniture items of our existing office in the new premises and accordingly the rates may be quoted.</p>	<p>कुल /Total (a+b+c) _____</p> <p>(कृपया शब्दों में भी लिखे / Pl write in words also)</p> <p>Rs.....प्रति वर्ग फीट</p> <p>Rs. per sq. ft.</p>
--	--

MODIFICATION NO-7

The following condition no. 17 at Page N0. 35 is modified in Broad specifications of Interior works - Office Premises

Sr No	As per tender Document hosted	Revised																		
17	<p>17. LAN Cabling -From UPS / Switch room to all the workstations / seats LAN cabling</p> <p>with CAT - 6 approved make cable to be provided in PVC conduit alongwith suitable modular type outlet boxes and RJ-45 connectors</p>	<p>17. LAN Cabling – The LAN cabling to be provided should be structured with the following components installed:</p> <p><u>a). Network Rack (Metal)</u></p> <p><u>(i) Specifications / Requirements of Rack and Patch cords</u></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #d9ead3;"> <th style="width: 10%;">S.N.</th> <th style="width: 60%;">Description</th> <th style="width: 30%;">Qty.</th> </tr> </thead> <tbody> <tr> <td align="center">1</td> <td>Type of Rack (Steel)</td> <td>Wall Mount</td> </tr> <tr> <td align="center">2</td> <td>Size of Rack</td> <td>12U / 13U</td> </tr> <tr> <td align="center">3</td> <td>Front Glass Door</td> <td>One</td> </tr> <tr> <td align="center">4</td> <td>Rear perforated Door</td> <td>One</td> </tr> <tr> <td align="center">5</td> <td>No of Fan Trays with four fans</td> <td>One</td> </tr> </tbody> </table>	S.N.	Description	Qty.	1	Type of Rack (Steel)	Wall Mount	2	Size of Rack	12U / 13U	3	Front Glass Door	One	4	Rear perforated Door	One	5	No of Fan Trays with four fans	One
S.N.	Description	Qty.																		
1	Type of Rack (Steel)	Wall Mount																		
2	Size of Rack	12U / 13U																		
3	Front Glass Door	One																		
4	Rear perforated Door	One																		
5	No of Fan Trays with four fans	One																		

THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER DOCUMENT NO. 310/2020/1446 HOSTED ON SIDBI PORTAL DATED 09/04/2019.

**CORRIGENDUM / ADDENDUM TO TENDER DOCUMENT– OFFICE PREMISES HARIDWAR DATED
09/04/2019**

		6	Power Strip with 6 / 8 three pin Indian Sockets	One
		7	Fixed Shelves / trays	One
		8	CAT 6 Patch / Jack Panel of 24 ports and 1U size	One
		9	Horizontal Cable Manager of size 1U	One
		10	Factory Crimped 7 feet CAT 6 patch cord	15
		11	Factory Crimped 3 feet CAT 6 patch cord	15
<p>(ii). The rack would be installed at a location where there is air conditioning. In case of floor mounting rack, the space above the rack till the ceiling / false ceiling should be kept open for future requirements / expansions and in case of wall mount rack, the space below the rack should be kept open for future requirements / expansions.</p> <p><u>(b). Cabling</u></p> <p>(i). Surface mount Information Outlet (I/O) boxes with connectors affixed to the partition along with face plate one each at each workstation/ cubical/ cabin/ conference room and for printers.</p> <p>(ii). All field cables originating from workstation / cubical/cabin/conference room/printer should be terminated / crimped to the patch / jack panels. Numbering of cables at both ends and on patch/jack panel to be carried out.</p> <p>(iii). All field cables within the bank premises should be laid through PVC conduit along a duct.</p> <p>(iv). All ports on patch panel, I/O and cables should be properly tagged for easy identification. Complete LAN diagram to be provided.</p>				

THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER DOCUMENT NO. 310/2020/1446 HOSTED ON SIDBI PORTAL DATED 09/04/2019.


**CORRIGENDUM / ADDENDUM TO TENDER DOCUMENT – OFFICE PREMISES HARIDWAR DATED
09/04/2019**

		<p>(v). All cables and passive components (I/O, patch/jack panel etc for LAN connectivity should be CAT 6 only.</p> <p>(vi). Total Number of Network Points - 15</p> <p>c). For illustration purpose structured cabling diagram is given in Appendix –ii.</p>
--	--	--

THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER DOCUMENT NO. 310/2020/1446 HOSTED ON SIDBI PORTAL DATED 09/04/2019.

Network Cabling Diagram (for illustration purpose only)

1. The diagrams are for illustration purpose only.
2. The size of rack, number of - patch/jack panels, Horizontal cable manager, empty shelves/trays etc. are as per RfP specifications.
3. **Wall Mount Rack**



THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER DOCUMENT NO. 310/2020/1446 HOSTED ON SIDBI PORTAL DATED 09/04/2019.

**CORRIGENDUM / ADDENDUM TO TENDER DOCUMENT– OFFICE PREMISES HARIDWAR DATED
09/04/2019**

MODIFICATION NO-8

The following List of reputed Makes (Appendix-1) is modified/updated at Page No 37 and 38

List of Reputed Makes

Sr No	As per tender Document hosted	Revised
1.	Chairs -Godrej / Eurotech / Feather Light- Different for various grades of Officers and Visitors False Ceiling- Gypsum Board from India Gypsum, Mineral Fibre tiles ceiling from Armstrong Blinds -Vista Levelor / Mac / Aerolex Paint- ICI /Berger /Asian /Johnson & Nicholson Putty- Shalimar / Berger /Asian / Birla/ JK Texture Paint- Spectrum / Unitile / Heritage Flush Doors- Duro / Alpro / Swastik / Anchor / ISI Mark Door Closer -Dorma/ Haffle / Everite / Hardwin/ Godrej Brass hardware- Sigma / Earl behari/ Godrej Locks -Godrej /Golden /Secure / Vijayan / Dorma Hardware -Sigma / Everite Aluminium Hardware- ----Do----- Glazed Tiles- Johnson / Somani / Kajaria/ Nitco Laminate- Greenlam / Marino / Century	<ol style="list-style-type: none"> 1. <i>Chairs - Godrej / Eurotech / Feather Light- Different for various grades of Officers and Visitors</i> 2. <i>False Ceiling - Gypsum Board from India Gypsum, Mineral Fibre tiles ceiling from Armstrong</i> 3. <i>Blinds - Vista Levelor / Mac / Aerolex</i> 4. <i>Network Passive components (LAN cabling) – all components should be CAT 6 compatible - D-Link, Finolex, Molex, Krone, Systemax, AMP(Tyco).</i> 5. <i>Network rack – Netrack, Valrack, APW, D- link etc.</i> 6. <i>LAN Cable Telephone cable - Cat 6 AT&T approved, D-Link, Finolex, molex, systemax, AMP(Tyco).</i> 7. <i>Paint- ICI /Berger /Asian /Johnson & Nicholson</i> 8. <i>Putty- Shalimar / Berger /Asian / Birla/ JK</i> 9. <i>Texture Paint- Spectrum / Unitile / Heritage</i> 10. <i>Flush Doors- Duro / Alpro / Swastik / Anchor / ISI Mark</i> 11. <i>Door Closer -Dorma/ Haffle / Everite / Hardwin/ Godrej</i> 12. <i>Brass hardware- Sigma / Earl behari/ Godrej</i> 13. <i>Locks -Godrej /Golden /Secure / Vijayan / Dorma</i> 14. <i>Hardware -Sigma / Everite</i> 15. <i>Aluminium Hardware- ----Do-----</i> 16. <i>Glazed Tiles- Johnson / Somani / Kajaria/ Nitco</i> 17. <i>Laminate- Greenlam / Marino / Century</i>

**THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER
DOCUMENT NO. 310/2020/1446 HOSTED ON SIDBI PORTAL DATED 09/04/2019.**

**CORRIGENDUM / ADDENDUM TO TENDER DOCUMENT– OFFICE PREMISES HARIDWAR DATED
09/04/2019**

<p>Ply & Board- Duro /Alpro /Century /Kit / Anchor</p> <p>PVC Flooring- Armstrong / Krishna Vinyle Ltd.</p> <p>Venition Blind Tracks -Vista Levelor / Mac / Aerolex</p> <p>Glass / Mirror- Modiguard /Ashai /Atul / fish /Saintgobain</p> <p>Resin based Adhesie -Fevicol / Vemicol</p> <p>Melamine polish- Asian / Berger / ICI</p> <p>Vitrified tiles -Johnson / Euro / Asian / Bell/RAK</p> <p>Modular Furniture -BP Ergo / Godrej / Featherlite / PSL</p> <p>ACs -Voltas, Carrier Aircon, LG, BlueStar, Videocon</p> <p>Modular switches / sockets /plates -Anchor Roma / Crabtree / MK Schneider</p> <p>PVC wire / cable -Finolex / Polycab / RPC / ICI</p> <p>LAN Cable Telephone cable - Cat 5/6 AT&T approved, D-Link, Finolex</p>	<p>18. <i>Ply & Board- Duro /Alpro /Century /Kit / Anchor</i></p> <p>19. <i>PVC Flooring- Armstrong / Krishna Vinyle Ltd.</i></p> <p>20. <i>Venition Blind Tracks -Vista Levelor / Mac / Aerolex</i></p> <p>21. <i>Glass / Mirror- Modiguard /Ashai /Atul / fish /Saintgobain</i></p> <p>22. <i>Resin based Adhesie -Fevicol / Vemicol</i></p> <p>23. <i>Melamine polish- Asian / Berger / ICI</i></p> <p>24. <i>Vitrified tiles -Johnson / Euro / Asian / Bell/RAK</i></p> <p>25. <i>Modular Furniture -BP Ergo / Godrej / Featherlite / PSL</i></p> <p>26. <i>ACs -Voltas, Carrier Aircon, LG, BlueStar, Videocon</i></p> <p>27. <i>Modular switches / sockets /plates -Anchor Roma / Crabtree / MK Schneider</i></p> <p>28. <i>PVC wire / cable -Finolex / Polycab / RPC / ICI]</i></p>
--	--

THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER DOCUMENT NO. 310/2020/1446 HOSTED ON SIDBI PORTAL DATED 09/04/2019.

**CORRIGENDUM / ADDENDUM TO TENDER DOCUMENT– OFFICE PREMISES HARIDWAR DATED
09/04/2019**

[B]- ADDENDUM - Tender No- 310/2020/1446

The following clauses are inserted in the original tender notice hosted on SIDBI portal/E-Procurement Portal.

Addition No. 1

Page No. 4:

a). The following Parameters are added to the 15 parameters already mentioned in Page No 4 & 5.

16	<i>बैंक की आवश्यकतानुसार परिसर में संरचित लैन केबलिंग को पूरा करना / प्रदान करना। Willing to carry out / provide structured LAN cabling in the premises as per the bank's requirement.</i>
17	<i>9 मीटर के वायरलेस एंटीना की स्थापना के लिए छत पर जगह प्रदान करने की इच्छा। Willing to provide space on roof top for installation of Wireless antenna of 9 Meter.</i>

Addition No. 2

The following conditions are added to the format of Technical Bid (TB) at Page No. 25 and may be read as under :-

25	<i>Whether ducts for drawing of cables available from: a) Roof top to the banks premises and b) Outside the premises to the banks premises.</i>	<i>a) हाँ/ नहीं Yes/No b) हाँ/ नहीं Yes/No</i>
26	<i>Whether dedicated earthing with earth to neutral voltage between 01.V to less than 3V will be provided.</i>	<i>हाँ/ नहीं Yes/No</i>
27	<i>Whether electrician assistance will be provided by the owner during the entire lease period for assisting the banks service providers in drawing of cables as and when required, without any additional cost to the bank.</i>	<i>हाँ/ नहीं Yes/No</i>
28	<i>Whether structured LAN cabling will be provided by the Owner as per details given in Annexure – I (LAN cabling)</i>	<i>हाँ/ नहीं Yes/No</i>

THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER DOCUMENT NO. 310/2020/1446 HOSTED ON SIDBI PORTAL DATED 09/04/2019.