A. CORRIGENDUM

Modification in Tender Documents already hosted by SIDBI in respect of seeking invitation of offers for acquiring office premises on Leave and License basis at Varanasi, UP

The following clauses are modified / inserted in the original tender notice hosted on SIDBI portal/E-Procurement Portal.

MODIFICATION NO-1

Page No. 1: The content of the paragraph is modified and may be read as under:-

Sr. No.	As per tender Document hosted	Revised
Page No. 1	भरे हुए आवेदनपत्र प्राप्ति की अंतिम तिथि	भरे हुए आवेदनपत्र प्राप्ति की अंतिम
INO. I	02/05/2019 सायं 3.00 बजे है।	तिथि 06/05/2019 सायं 3.00 बजे
	Last Date and time for receipt of filled in application: 02/05/2019, 15:00 hrs	है। Last Date and time for receipt of filled in application : 06/05/2019, 15:00 hrs

MODIFICATION NO-2

Page No. 2: The content of the 1st paragraph is modified and may be read as under:-

Sr. No.	As per tender Document hosted	Revised
Page no.	सिडबी वाराणसी में लीव एंड लाइसेंस/ लीज	सिडबी वाराणसी में लीव एंड लाइसेंस/ लीज
2 (1 st para)	आधार पर कार्यालय परिसर के लिए प्रस्ताव	आधार पर कार्यालय परिसर के लिए
	आमंत्रित करता है। परिसर भूतल में स्थित होना	प्रस्ताव आमंत्रित करता है। परिसर भूतल
	चाहिए तथा सिगरा, रथयात्रा, नदेसर, केंट रोड,	 में स्थित होना चाहिए तथा सिगरा,
	महमूरगंज, मलदिहया आदि में स्थित हो और	रथयात्रा, नदेसर, केंट रोड, महमूरगंज,
	उसका कार्पेट क्षेत्रफल लगभग 110 वर्ग मीटर	,
	से 120 वर्ग मीटर होना चाहिए। परिसर तैयार	मलदिहया आदि में स्थित हो और उसका
	हालत में तुरन्त उपलब्ध हो और वरीयतः फर्निश्ड	कार्पेट क्षेत्रफल लगभग लगभग 950 वर्ग

फुट से 1300 वर्ग फुट होना चाहिए। परिसर हो, अथवा उसे बैंक आवश्यकतान् सार/विनिर्देशान् सार मालिक(कों) तैयार हालत में त्रन्त उपलब्ध हो और दवारा अपने खर्च पर स्सज्जित / पुनः सज्जित वरीयतः फर्निश्ड हो, अथवा उसे बैंक की कराया जाए। आवश्यकतान् सार/विनिर्देशान् सार मालिक(कों) दवारा अपने खर्च पर स्सज्जित / पुनः सज्जित कराया जाए। फर्निशिंग में बैंकों की आवश्यकता के अन्सार आंतरिक संरचित लैन केबलिंग शामिल है। इसके अलावा, मालिक)मालिकों (को वायरलेस) रेडियो फ्रीक्वेंसी (एंटीना की स्थापना के लिए छत के ऊपर जगह और यूपीएस के लिए समर्पित अर्थिंग भी प्रदान करनी होगी।

MODIFICATION NO - 3

Page No. 2: The content of the 2nd paragraph is modified and may be read as under:-

Sr. No.	As per tender Document hosted	Revised
Page no. 2 (2 nd para)	SIDBI invites offers for office premises admeasuring about 110 sq mtr to 120 sq. mtr. carpet area in Varanasi on leave and licence / lease basis on Ground Floor in buildings located in Sigra, Rathyatra, Maldahiya, Bhelupur, Mahmoorganj, Cantt Road, Nadesar. The premises should be readily available and preferably furnished or it shall be furnished / refurnished by the owner(s) at their own cost as per the Bank's requirement / specifications.	SIDBI invites offers for office premises admeasuring about 950 sq. ft. to 1300 sq. ft. carpet area in Varanasi on leave and licence / lease basis on Ground Floor in buildings located in Sigra, Rathyatra, Maldahiya, Bhelupur, Mahmoorganj, Cantt Road, Nadesar. The premises should be readily available and preferably furnished or it shall be furnished / refurnished by the owner(s) at their own cost as per the Bank's requirement / specifications. Furnishing includes internal structured LAN cabling as per the banks requirement. Further, the owner should also provide space on the roof top for installation of Wireless (Radio Frequency)

	Antenna	and	dedicated	earthing
	for UPS.			

MODIFICATION NO - 4

Page No. 2: The content of the last paragraph is modified and may be read as under:-

Sr. No.	As per tender Document hosted	Revised
Page No. 2	सुस्पष्ट एवं विपणन योग्य स्वत्व वाली ऐसी	सुस्पष्ट एवं विपणन योग्य स्वत्व वाली
(last	संप्पतियाँ, जो स्थानीय नियमों के अनुसार बनाई	ऐसी संप्पतियाँ, जो स्थानीय नियमों के
(para)	गई हो और व्यापारिक उपयोग के लिए प्रयोग	अनुसार बनाई गई हो और व्यापारिक
	की जा सके, ऐसी संपत्ति के लिए प्रस्ताव भेजने	उपयोग के लिए प्रयोग की जा सके, ऐसी
	के इच्छुक मालिक दो अलग-अलग मुहरबंद	संपत्ति के लिए प्रस्ताव भेजने के इच्छुक
	लिफाफों में अपने प्रस्ताव प्रभारी अधिकारी	मालिक दो अलग-अलग मुहरबंद लिफाफों
	भारतीय लघु उद्योग विकास बैंक तृतीय तल, अनंत	में अपने प्रस्ताव प्रभारी अधिकारी भारतीय
	काम्प्लेक्स, सिगरा, वाराणसी - 221010, फोन नं.	लघु उद्योग विकास बैंक तृतीय तल, अनंत
	0542-2223465, 2223948. Email :	काम्प्लेक्स, सिगरा, वाराणसी - 221010, फोन
	<u>khandel@sidbi.in</u> एवं	नं. 0542-2223465, 2223948.
	varanasi@sidbi.in पर भेजें। एक लिफाफे में	Email : <u>khandel@sidbi.in</u> एवं
	तकनीकी बोली और दूसरे लिफाफे में वित्तीय	varanasi@sidbi.in पर भेजें। एक
	बोली भेजी जाएं। प्रस्ताव भेजने की अंतिम	लिफाफे में तकनीकी बोली और दूसरे
	तारीख 02/05/2019 है। किसी भी प्रकार की	लिफाफे में वित्तीय बोली भेजी जाएं।
	दलाली शुल्क का भुगतान नहीं किया जाएगा।	प्रस्ताव भेजने की अंतिम तारीख
		06/05/2019 है। किसी भी प्रकार की
		दलाली शुल्क का भुगतान नहीं किया
		जाएगा।

MODIFICATION NO - 5

Page No. 3 : The content of the 1st paragraph is modified and may be read as under:
THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER HOSTED

ON SIDBI PORTAL DATED 10/04/2019.

Sr. No.	As per tender Document hosted	Revised
Page No. 3 (1 st para)	Interested parties having clear and marketable title to the properties built as per local byelaws and having permission for commercial use of the same, may submit their offers in two separate sealed covers, one for technical bid and another for financial bid to the In-charge, Anant Complex, 3rd Floor, Sigra, Varanasi – 221010 Tel. No. 0542-2223465, 2223948, email: khandel@sidbi.in and varanasi@sidbi.in. Last date for submission of offers is 02/05/2019, upto 15:00 hours. No brokerage will be paid.	Interested parties having clear and marketable title to the properties built as per local byelaws and having permission for commercial use of the same, may submit their offers in two separate sealed covers, one for technical bid and another for financial bid to the In-charge, Anant Complex, 3rd Floor, Sigra, Varanasi – 221010 Tel. No. 0542-2223465, 2223948, e-mail: khandel@sidbi.in and varanasi@sidbi.in and varanasi@sidbi.in. Last date for submission of offers is 06/05/2019, upto 15:00 hours. No brokerage will be paid.

MODIFICATION NO - 6

Page No. 4: The content of the Sr. No. 2 is modified and may be read as under:-

Sr. No.	As per tender Document hosted	Revised
Page no. 4 (Sr. No. 2)	प्रस्तावित कारपेट क्षेत्र / Carpet area offered – between 110 sqmt to 120 sqmt (Approx 1184 sq. ft. to 1291 sqft). The carpet area offered should be within the range given by SIDBI else the offers will be rejected. The landlord should enclose layout plan duly certified by the Architect/ Surveyor	प्रस्तावित कारपेट क्षेत्र / Carpet area offered – between approx. 950 sq. ft. to 1300 sq. ft. The carpet area offered should be within the range given by SIDBI else the offers will be rejected. The landlord should enclose layout plan duly certified by the Architect/ Surveyor

MODIFICATION NO - 7

Page No. 4: The content of the sr. no. 5 is modified and may be read as under:-

Sr. No.	As per tender Document hosted	Revised	
THE ABOVE CHANGES ARE TREATED AS PART AND PARCEL OF ORIGINAL TENDER HOSTED			

ON SIDBI PORTAL DATED 10/04/2019.

3	Present Age (should not be more than	, · · · · · · · · · · · · · · · · · · ·
4 (Sr.	,	than 30 years) Condition and
No. 5)	maintenance/upkeep of the Building -	
	The Construction should be of good	
	quality and the present condition of	should be of good quality and the
	the building should be good.	present condition of the building
		should be good.

MODIFICATION NO - 8

Page No. 8: The content of the sr. no. 5 is modified and may be read as under:-

Sr. No.	As per tender Document hosted	Revised
Page no.	प्रस्तावित परिसर के लिए दी गई दरें प्रति कारपेट	प्रस्तावित परिसर के लिए दी गई दरें प्रति
8 (Sr. No. 5)	वर्गमी. आधार पर होगी और दरों में सभी लागू	कारपेट वर्ग फुट आधार पर होगी और दरों
	कर (नगरपालिका कर), व्यय, रखरखाव, आदि	में सभी लागू कर (नगरपालिका कर), व्यय,
	शामिल होगें। लागू सेवाकर का भुगतान /	रखरखाव, आदि शामिल होगें। लागू सेवाकर
	प्रतिपूर्ति अलग से की जाएगी। दी गई दरें	का भुगतान / प्रतिपूर्ति अलग से की
	प्रतिस्पर्धात्मक होनी चाहिए क्योंकि इसी प्रकार	जाएगी। दी गई दरें प्रतिस्पर्धात्मक होनी
	के अन्य प्रस्तावों का भी साथ-साथ परीक्षण किया	चाहिए क्योंकि इसी प्रकार के अन्य प्रस्तावों
	जाएगा।	का भी साथ-साथ परीक्षण किया जाएगा।

MODIFICATION NO - 9

Page No. 16: The content of the sr. no. K (related to Parking Space) is modified and may be read as under:-

Sr. No.	As per tender Document hosted	Revised
Page No. 16 (Sr. No. K)	Adequate reserved parking space (minimum 3 nos carparking and 5 two wheeler parking shall be provided by me/us exclusively reserved for SIDBI.	Adequate reserved parking space (minimum 4 two wheeler parking shall be provided by me/us exclusively reserved for SIDBI preferably at the proposed premises or at a distance of 50-100 meters from the proposed premises at owners cost and security.

MODIFICATION NO - 10

Page No. 18 (related to Format for Technical Bid (TB) : The content of the sr. no. 2 is modified and may be read as under:-

Sr. No.	As per tender Document hosted	Revised
Page no.	Present Age of premises and type of	
18 (Sr.	construction (mention whether Ist	of construction (mention whether
No. 2)	class RCC or tiled roof structure etc.)	Ist class RCC or tiled roof structure
•	(Certificate from Chartered Engineer	etc.) (Certificate from Chartered
	regarding structural stability / safety	Engineer regarding structural
	of the building to be produced, if	stability / safety of the building to
	demanded by SIDBI). Age of the	be produced, if demanded by
	premises should not be more than 20	SIDBI). Age of the premises should
	years.	not be more than 30 years.
	Note: The age of the Building should	Note: The age of the Building
	not be more than 20 year old from the	should not be more than 30 years
	date of occupation/completion	old from the date of
	certificate.	occupation/completion certificate.

MODIFICATION NO - 11

Page No. 19/20 (related to parking space): The content of the sr. no. 5 is modified and may be read as under:-

Sr. No.	As per tender Document hosted	Revised
Page no.	क्या आरक्षित पार्किंग उपलब्ध है (छतदार या	क्या आरक्षित पार्किंग उपलब्ध है (छतदार
19/20 (Sr. No.	खुली हुई) यदि है, तो कृपया कितनी गाड़ियाँ/	या खुली हुई) यदि है, तो कृपया कितनी
5)	दुपहिया वाहनों की पार्किंग है। विवरण दें।	गाड़ियाँ/ दुपहिया वाहनों की पार्किंग है।
	न्यूनतम 04 कार पार्किंग एवं 04 दुपहिया वाहन	विवरण दें।
	हेतु आरक्षित पार्किंग होनी चाहिए)	न्यूनतम 04 दुपहिया वाहन हेतु आरक्षित
	Whether reserved parking (covered /	पार्किंग होनी चाहिए यथा संभव प्रस्तावित
	open) available? If so, give the details regarding the no. of car/ Two wheelers	परिसर में या उसके 50-100 मीटर के
	parking.	दायरे में)
	(Minimum 4 car parking and 4 two wheeler parking should be reserved) Note: If required, the agency may built in the parking charges in the monthly rent and quote accordingly	Whether reserved parking (covered / open) available? If so, give the details regarding the no. of car/ Two wheelers parking. (Minimum 4 two wheeler parking should be reserved preferably at the proposed premises or at a distance of 50-100 meters from the proposed premises at owners cost and security) Note: If required, the agency may built in the parking charges in the monthly rent and quote accordingly
	वित्तीय बोली का प्ररूप (एफबी) लिफ़ाफ़ा सं. 2 The Format for Financial Bid (FB) (To be submitted in Cover - 2)	2 में प्रस्तुत किया जाए)

MODIFICATION NO - 12

Page No. 23/24: The content of the sr. no. 1 is modified and may be read as under:-

Sr. No.	As per tender Document hosted	Revised
Page no.	छत पर अधिकतम एक् मीटर ऊँचे और 250	छत पर अधिकतम एक् मीटर ऊँचे और 250
23/24 (Sr. No.	किलोभार के बिना तार वाला ऐनटीना	किलोभार के बिना तार वाला (Radio
23)	संस्थापित करने के लिए जगह की उपलब्धता	Frequency) ऐनटीना संस्थापित करने के
	Availability of space on roof top for installatio of wireless antenna of	लिए जगह की उपलब्धता
	maximum height of 9 meters and weight around 250 kg.	Availability of space on roof top for
		installation of wireless (Radio
		Frequency) antenna of maximum
		height of 9 meters and weight around
		250 kg.
		Note: civil work will be carried out on
		the roof top by chipping the floor by
		½ or 1 inch for erection of antenna.
		The antenna would be a tripod
		structure with space requirement of
		approximately 9X9M.

MODIFICATION NO - 13

Page No. 25: The content of the sr. no. 1 is modified and may be read as under:-

Sr. No.	As per tender Document hosted	Revised
Page no.	प्रति कारपेट वर्ग मी. क्षेत्र का मासिक किराया (प्रति कारपेट वर्ग फुट क्षेत्र का मासिक
25 (Sr. No. 1)	कारपेट क्षेत्र का अर्थ है ढका हुआ फर्श क्षेत्र,	किराया (कारपेट क्षेत्र का अर्थ है ढका
,	जिसमें दीवारों, आधार दीवारों की परीधि की	हु आ फर्श क्षेत्र, जिसमें दीवारों, आधार
	मोटाई, खुला बरामदा / बालकनी /खिड़की की	दीवारों की परीधि की मोटाई, खुला बरामदा
	सिलों के नीचे भंडारण के लिए स्थान, खुले	/ बालकनी /खिड़की की सिलों के नीचे
	गलियारे/ आने जाने का रास्ता, लॉबियाँ, सीढ़ीयाँ,	भंडारण के लिए स्थान, खुले गलियारे/ आने
	मम्टीयाँ, लिफ्टों के लिए कक्ष और नीचे जाने	जाने का रास्ता, लॉबियाँ, सीढ़ीयाँ, मम्टीयाँ,

का रास्ता, सामान्य शौचालय और सामान्य क्षेत्र लिफ्टों के लिए कक्ष और नीचे जाने का आदि शामिल नहीं है) कमरा/ हाल के अंदर की रास्ता, सामान्य शौचालय और सामान्य दीवारों को फर्शक्षेत्र माना जाएगा। परिसर के लिए क्षेत्र आदि शामिल नहीं है) कमरा/ हाल के अलग से बनवाए गए शौचालयों को भी फर्श क्षेत्र में शामिल किया जाएगा)

अंदर की दीवारों को फर्शक्षेत्र माना जाएगा। परिसर के लिए अलग से बनवाए गए शौचालयों को भी फर्श क्षेत्र में शामिल किया जाएगा)

MODIFICATION NO- 14 The following condition no. 17 at Page No. 32 is modified in Broad specifications of Interior works - Office Premises


Sr No	As per tender Document hosted	Revise	ed	
Page No. 32 (sr. No. 17)	LAN Cabling -From UPS / Switch room to all the workstations / seats LAN cabling with CAT - 6 approved make cable to be provided in PVC conduit alongwith suitable modular type outlet boxes and RJ-45 connectors	LAN Cabling – The LAN cabling to be provided should be structured with the following components installed: a). Network Rack (Metal) (i) Specifications / Requirements of Rack and Patch cords		
		S.N.	Description	Qty.
		1	Type of Rack (Steel)	Wall Mount
		2	Size of Rack	12U / 13U
		3	Front Glass Door	One
		4	Rear perforated Door	One
		5	No of Fan Trays with four fans	One
		6	Power Strip with 6 / 8 three pin Indian Sockets	One
		7	Fixed Shelves / trays	One
		8	CAT 6 Patch / Jack Panel of 24 ports and 1U size	One

9	Horizontal Cable	One
	Manager of size 1U	
10	Factory Crimped 7 feet CAT 6 patch	15
	feet CAT 6 patch	
	cord	
11	Factory Crimped 3 feet CAT 6 patch	15
	feet CAT 6 patch	
	cord	

(ii). The rack would be installed at a location where there is air conditioning. In case of floor mounting rack, the space above the rack till the ceiling / false ceiling should be kept open for future requirements / expansions and in case of wall mount rack, the space below the rack should be kept open for future requirements / expansions.

(b). Cabling


- (i). Surface mount Information Outlet (I/O) boxes with connectors affixed to the partition along with face plate one each at each workstation/ cubical/cabin/ conference room and for printers.
- (ii). All field cables originating from workstation / cubical/cabin/conference room/printer should be terminated / crimped to the patch / jack panels. Numbering of cables at both ends and on patch/jack panel to be carried out.
- (iii). All field cables within the bank premises should be laid through PVC conduit along a duct.
- (iv). All ports on patch panel, I/O and cables should be properly tagged for easy identification. Complete LAN diagram to be provided.
- (v). All cables and passive components (I/O, patch/jack panel etc for LAN connectivity should be CAT 6 only.



Appendix -ii

Network Cabling Diagram (for illustration purpose only)

- 1. The diagrams are for illustration purpose only.
- 2. The size of rack, number of patch/jack panels, Horizontal cable manager, empty shelves/trays etc. are as per RfP specifications.
- 3. Wall Mount Rack



MODIFICATION NO-15

The following List of reputed Makes (Appendix-1) is modified/updated at Page No 34 and 35

List of Reputed Makes

Sr No	As per tender Document hosted		Revised
Page No. 34 and 35	Chairs -Godrej / Eurotech / Feather Light- Different for various grades of Officers and Visitors False Ceiling- Gypsum Board from India Gypsum, Mineral Fibre tiles ceiling from Armstrong Blinds -Vista Levelor / Mac / Aerolex	1. 2. 3. 4.	Chairs - Godrej / Eurotech / Feather Light-Different for various grades of Officers and Visitors False Ceiling - Gypsum Board from India Gypsum, Mineral Fibre tiles ceiling from Armstrong Blinds - Vista Levelor / Mac / Aerolex Network Passive components (LAN cabling) – all components should be CAT 6 compatible - D-Link, Finolex, Molex, Krone, Systemax, AMP(Tyco).
	Paint- ICI /Berger /Asian /Johnson & Nicholson Putty- Shalimar / Berger /Asian / Birla/ JK Texture Paint- Spectrum / Unitile / Heritage Flush Doors- Duro / Alpro / Swastik / Anchor / ISI Mark Door Closer -Dorma/ Haffle / Everite / Hardwin/ Godrej Brass hardware- Sigma / Earl behari/ Godrej Locks -Godrej /Golden /Secure / Vijayan / Dorma Hardware -Sigma / Everite	7. 8. 9. 10. 11. 12. 13.	Network rack – Netrack, Valrack, APW, D-link etc. LAN Cable Telephone cable - Cat 6 AT&T approved, D-Link, Finolex, molex, systemax, AMP(Tyco). Paint- ICI /Berger /Asian /Johnson & Nicholson Putty- Shalimar / Berger /Asian / Birla/ JK Texture Paint- Spectrum / Unitile / Heritage Flush Doors- Duro / Alpro / Swastik / Anchor / ISI Mark Door Closer -Dorma/ Haffle / Everite / Hardwin/ Godrej Brass hardware- Sigma / Earl behari/ Godrej Locks -Godrej /Golden /Secure / Vijayan / Dorma Hardware -Sigma / Everite Aluminium Hardware Do
		17.	Laminate- Greenlam / Marino / Century

Aluminium	Hardware	-Do
-----------	----------	-----

Glazed Tiles- Johnson / Somani / Kajaria/ Nitco

Laminate- Greenlam / Marino / Century

Ply & Board- Duro /Alpro /Century /Kit / Anchor

PVC Flooring- Armstrong / Krishna Vinyle Ltd.

Venition Blind Tracks -Vista Levelor / Mac / Aerolex

Glass / Mirror- Modiguard /Ashai /Atul / fish /Saintgobain

Resin based Adhesie -Fevicol / Vemicol

Melamine polish- Asian / Berger / ICI

Vitrified tiles -Johnson / Euro / Asian / Bell/RAK

Modular Furniture -BP Ergo / Godrej / Featherlite / PSL

ACs -Voltas, Carrier Aircon, LG, BlueStar, Videocon

Modular switches / sockets /plates - Anchor Roma / Crabtree / MK Schneider

PVC wire / cable -Finolex / Polycab / RPC / ICI

- 18. Ply & Board- Duro /Alpro /Century /Kit / Anchor
- PVC Flooring- Armstrong / Krishna Vinyle Ltd.
- 20. Venition Blind Tracks -Vista Levelor / Mac / Aerolex
- 21. Glass / Mirror- Modiguard /Ashai /Atul / fish /Saintgobain
- 22. Resin based Adhesie -Fevicol / Vemicol
- 23. Melamine polish- Asian / Berger / ICI
- 24. Vitrified tiles -Johnson / Euro / Asian / Bell/RAK
- 25. Modular Furniture -BP Ergo / Godrej / Featherlite / PSL
- 26. ACs -Voltas, Carrier Aircon, LG, BlueStar, Videocon
- 27. Modular switches / sockets /plates -Anchor Roma / Crabtree / MK Schneider
- 28. PVC wire / cable -Finolex / Polycab / RPC / ICI]

LAN Cable Telephone cable - Cat 5/6	
AT&T approved, D-Link, Finolex	

[B]- ADDENDUM - Tender No

The following clauses are inserted in the original tender notice hosted on SIDBI portal/E-Procurement Portal.

Addition No. 1

Page No. 4 / 5:

a). The following Parameters are added to the 15 parameters already mentioned in Page No 4 & 5.

	बैंक की आवश्यकतानु सार परिसर में संरचित लैन केबलिंग को पूरा करना / प्रदान करना।
16	Willing to carry out / provide structured LAN cabling in the premises as per the bank's requirement.
17	9 मीटर के वायरलेस एंटीना की स्थापना के लिए छत पर जगह प्रदान करने की इच्छा।
17	Willing to provide space on roof top for installation of Wireless antenna of 9 Meter.

Addition No. 2

The following conditions are added to the format of Technical Bid (TB) at Page No. 24 and may be read as under :-

25	Whether ducts for drawing of cables available from: a) Roof top to the banks premises and b) Outside the premises to the banks premises.	a) हाँ/ नहीं Yes/No b) हाँ/ नहीं Yes/No
26	Whether dedicated earthing with earth to neutral voltage between 01.V to less than 3V will be provided.	
27	Whether electrician assistance will be provided by the owner during the entire lease period for assisting the banks service providers in drawing of cables as and when required, without any additional cost to the bank.	हाँ/ नहीं
28	Whether structured LAN cabling will be provided by the Owner as per details given in Annexure – I (LAN cabling)	हाँ/ नहीं Yes/No